

## Shenzhen Anbotek Compliance Laboratory Limited TEST REPORT

Report No.....: R011411399S

Client.....: Key Technology (China) Limited

Address..........: B702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng

Subdistrict, Long Gang District, ShenZhen, Guang Dong, P.R.China

Manufacturer.....: Key Technology (China) Limited

Address...... B702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guang Dong, P.R.China

		Written by	:	Andy Shen
		Inspected by	:	Termy Tian
		Approved by	:	Jest Zhu
				Authorized signatory
Date of Received Sample	: Nov. 21, 2014			
Date(s) of Test	: Nov. 21, 2014 to M	Nov. 28, 2014		FICE



# Shenzhen Anbotek Compliance Laboratory Limited **TEST REPORT**

Sample name	Special Professional Ruggedized Rubber Keyboard						
Model/type	K-TEK-M275TP-FN						
Inspection unit	Key Technology (China) Limited	Trademark	ІКВ-МКВ				
Manufacturer	Key Technology (China) Limited	Inspection Category	Commissioned the inspection				
Quantity	2 pcs	Sample grade, status	——/ Intact				
sample date	Nov. 21, 2014	Original number or production date					
Test based on	IEC 60068-2-1:2007, IEC 60068-2-2:2007	Test items	High and low temperature test				
main instruments used	Heat chamber	Ambient temperature	<b>25.0</b> ℃				
Conclusions of the examination	The samples were passed the Principal technical requirements						
Remark	This report is only responsible for the sample.						



#### Test Item: High and low temperature test

1. The Equipment lists:

Name	Model	Manufacturer	Serial No.	Valid Date to
Heat chamber	GDS-1000	Guangzhou Gongwen Experimental Equipment Co., Ltd.	SE-121	Apr.15, 2015

- 2. Environmental Conditions:  $25 \pm 3^{\circ}$ C, $55 \pm 20$  % RH
- 3. Sample Quantity: 2 pcs
- 4. Reference Standard: According to the client requirements.
  - 1). The Heat chamber temperature within six hours increased from room temperature to 80  $^{\circ}$ C,

keeping 80 °C for 15 hours;

- 2). Within 12 hours reduced from 80  $^{\circ}$ C to -40  $^{\circ}$ C;
- 3). Keeping -40 °C, test 15 hours; ("1) to 3)" as one cycle)

#### Test Result:

After the test, the samples function tests:

The samples were normal operation, No abnormal appearance.



#### The sample photo attached as below.

Testing :







#### After test :







### DECLARATION

- 1 · Reference documents for the testing: IEC 60068-2-1:2007 · IEC 60068-2-2 : 2007
- 2 Test place Lab: Shenzhen Anbotek Compliance Laboratory Limited 1/F., Building 1, SEC Industrial Park, No.0409 Qianhai Road, Nanshan District, Shenzhen, Guangdong, China
- $3 \cdot$  This report shall not be revised and deleted.
- $4 \cdot$  The results only related to the items tested.
- 5 · This report shall not be published as advertisement without the approval of ANBOTEK.
- 6 · This report shall not be copied partly without the written approval of ANBOTEK.

\*\*\*\*\*\*\*\*\*\*\*End of report\*\*\*\*\*\*\*\*\*