



KEY TECHNOLOGY (CHINA) LIMITED

RUGGED STAINLESS STEEL KEYBOARDS / MICE EXPERT




COMPANY PROFILE

Key Technology (China) Limited possess the professional experience and empirical knowledge to design, develop, manufacture, market and sell most complete line of vandal proof IP65/IP68 stainless steel keyboards, keypad, pointing devices, ATM keypads; Medical/Military/Marine/Vehicle keyboards etc.


We are the one-stop-shop for your requirements of products services in the areas of industrial input devices to extent to immense international market. Key Technology (China) Limited's customers include Finance, Aerospace, Chemicals/Petro, Food & Beverage, Healthcare, Telecom/Media, High Technology, Transportation-Automotive, Manufacturing, Utilities & Resources, Pulp and Paper - Government/Defense, Universities and Academia, Museums/Public Displays and Miscellaneous industries.

Active, positive, and works as a team is a special attribute of the people in Key Technology (China) Limited. The purpose of the operation of the company is to create value, which is the creation of customer value, creation of employee value, and the creation of shareholder value. The principle of business is based on Righteousness, Integrity, Diligence and Thrift, which stands as our guideline of conduct in the future. By doing so, Key Technology (China) Limited is moving towards a global technology firm with an optimistic and long future.


ABOUT US



Factory Reception



Office Area




Showroom



Reception Room




Head Office Reception



Office Area




Recreation Facility



Restaurant

ABOUT US



R&D



IQC



Workshop




Assembly



Welding



Testing



High and Low Temperature Test



Packing



DWP STAINLESS STEEL VANDAL PROOF KEYBOARDS



DYNAMIC WATERPROOF STAINLESS STEEL KEYBOARD SERIES

Key Technology's DWP keyboards are mainly targeted for unsupervised or semi-supervised positions of varied access applications, as well as coal and mine etc.

DWP means Dynamic Water Proof, Dynamic Washable Proof, Deep Water Proof, Direct Water proof, Dive Waterproof. Which is good for outdoor application with direct rain and very harsh environments with humidity, much dynamic water, oil, dirt, salt mist etc, no rust risk and anti-salt spray corrosion. It is our patented core technology.

- With or without mouse (touchpad/trackball)
- With or without black titanium electroplated on stainless steel surface
- With or without backlight
- With or without braille dots
- Dynamic waterproof (IP65 rated for DWP panel mount keyboards, IP68 rated for DWP desktop keyboards)
- Panel mount/ desktop version/ mountable desktop version
- CE/FCC/RoHS/ESD/explosion proof certified



DYNAMIC WATERPROOF STAINLESS STEEL KEYBOARD SERIES

EXPLOSION-PROOF IP68 STAINLESS STEEL KEYBOARD FOR COAL & MINE APPLICATION



Ex ib IIC T4 Gb




K-TEK-A361TP-FN-DT-DWP



- Sealing to IP68, 85 Keys
- Fully sealed treatment with glue inside
- With IP65 dynamic sealed & ruggedized tough touchpad
- Desk top version, top panel mount version optional
- Customized layout available
- Ideal for coal & mine application
- Resistive touchpad optional for users who wear gloves
- With trackball version optional



Back View



Top panel mount version optional
K-TEK-A361TP-FN-DWP



Resistive touchpad optional
K-TEK-A361-RTP-FN-DWP

K-TEK-B365TP-FN-DT-DWP



- IP68 fully sealed and rugged structure
- Integrated with IP65 touchpad
- Short stroke of 0.45mm flat keys, easy to clean
- Ideal for coal & mine application
- Desktop version, top panel mount optional



Back View



K-TEK-B365-RTP-FN-DT-DWP




K-TEK-B361TP-FN-DWP

K-TEK-A361-MTB-FN-DWP



- IP65 rated
- Top panel mounting with side threaded bolts
- Desktop version optional
- Touchpad version optional
- Carbon-on-gold key switch technology
- FN+Clean combination keys to lock the keyboard for cleaning
- With 38mm stainless steel mechanical trackball module



Back View



Desktop version optional
K-TEK-A361-MTB-FN-DT-DWP



Whithout FN keys
K-TEK-A361-MTB-DWP


K-TEK-A365TP-FN-DT-DWP-2.4G




- Sealing to IP67
- 2.4GHz wireless stainless steel keyboard
- With one receiver for signal transmit up to 10 meters
- SUS304 Brushed stainless steel housing
- With touchpad and FN keys integrated
- Movable stand alone DESK TOP VERSION
- Customized layout available
- FN+Clean key to lock/disable the keyboard for cleaning



Back View



Desktop Wired Version
K-TEK-A361TP-FN-DT-DWP



USB Receiver

K-TEK-A343-DHP-DWP



- Sealing to IP65
- With 1 force sensing resistor hula pointing device
- Ideal for coal and mine applications
- Touchpad or trackball optional
- Rear panel mount solution with mounting holes
- Extremely good tactile feeling
- 3 mouse keys for right/left clicking, and scrolling up and down
- Built-in or desktop version optional



Back View



K-TEK-A382TP-DHP-FN-DT-DWP



K-TEK-A361-JS-FN-DT-DWP

K-TEK-A443-38-OTB-JS-FN-DT-DWP



- Sealing to IP68, high configuration
- Integrated with hall joystick and optical trackball mouse
- FN+Clean combination keys for easy cleaning
- Good for outdoor and marine applications
- Desktop version/Panel mounted version available
- Mouse function/joystick function optional
- USB/PS2 port



Back View



With 2 buttons K-TEK-HC1U-360



K-TEK-A361-JS-FN-DT-DWP

K-TEK-A343TP-MDT-DWP



- IP68 waterproof
- Intergated with IP65 touchpad mouse
- Ease of customized languages
- Mechanical/Optical trackball optional
- Robust design, vandal proof structure
- Mountable desktop solution
- Braille dots optional



Back View



K-TEK-A343-MTB-MDT-DWP




K-TEK-A420-OTB-KP-FN-MDT-DWP

K-TEK-A19U-MTB-KP-FN



- Sealing to IP65, 100Keys
- SUS304 Brushed stainless steel surface
- 4 in 1 keyboard with full functionality
- With IP65 mechanical trackball at 400DPI
- Top panel mount for 1U rack
- Customized layout available
- Touchpad/mechanical trackball/optical trackball optional
- Carbon-on-gold key switch with long stroke 1.5mm



Back View



With optical trackball optional
K-TEK-A19U-OTB-KP-FN

K-TEK-A228TP-FN-OEM




- Sealing to IP65, 94Keys
- Ruggedized design, vandal proof structure
- T-shape panel mounted or desktop version
- SUS304 brushed stainless steel housing
- With touchpad and FN keys integrated
- Customized layout available



Back View



Desktop Version
K-TEK-A228TP-FN-DT



Close-up pic

K-TEK-A224-UT-DWP



- Sealing to IP65, 53Keys
- Ultra thin, overall thickness 7.2mm only
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- Dynamic washable via pouring water
- Rear panel mount with mounting holes
- With tight water gasket
- Customized layout available



Back View



K-TEK-B210-UT-DWP



Short stroke with flat keys optional
K-TEK-B224-UT-DWP

K-TEK-A272-DWP



- Sealing to IP65, 68Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 or 316L Brushed stainless steel surface
- FN+Clean key to lock keyboard when cleaning
- Rear panel mount with mounting holes
- Customized layout available
- Black titanium electroplated surface available to withstand salt spray



Backlight for optional
K-TEK-A272-BL-DWP



Short stroke with flat keys optional
K-TEK-B272-DWP




Black titanium electroplated optional
K-TEK-A272-BT-DWP


K-TEK-A290-FN-DWP



- Sealing to IP65, 81Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- F1,F2...F12 on top line of keyboard
- FN+Clean key to lock keyboard when cleaning
- Top panel mount with threaded bolts
- With tight water gasket
- Customized layout, braille dots available



With Braille Dots available
K-TEK-A290-FN-DWP



Short stroke with flat keys optional
K-TEK-B290-FN-DWP



Desktop version
K-TEK-A290-FN-DT-DWP

K-TEK-B210-UT-DWP



- Sealing to IP65,68 Keys
- Robust design, vandal proof structure
- Stable and accurate data input
- SUS304 Brushed stainless steel surface
- FN+Clean key lock keyboard when cleaning
- Rear panel mount with mounting holes
- Customized layout available



Back View



Desktop Version
K-TEK-B210-UT-DT-DWP

K-TEK-B340KP-DWP



- Sealing to IP65, 81Keys
- Robust design, vandal proof structure
- Combination FN keys included
- SUS304 Brushed stainless steel surface
- With numeric keypad integrated
- FN+Clean key lock keyboard when cleaning
- Top panel mount with threaded bolts
- Customized layout available



Rear panel mounting
K-TEK-B320KP-DWP



Desktop Version
K-TEK-B340KP-DT-DWP

K-TEK-A340KP-FN-DWP



- Sealing to IP65, 102Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- With numeric pad and FN keys integrated
- White backlight optional
- Rear panel mount with mounting holes
- Customized layout and backlight color available



Backlight for optional
K-TEK-A340KP-FN-BL-DWP



Short stroke with flat keys optional
K-TEK-B340KP-FN-DWP



Desktop version
K-TEK-A360KP-FN-DT-DWP

K-TEK-A396KP-FN-DWP




- Sealing to IP65, 111Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- With numeric pad and FN keys integrated
- Rear panel mount with mounting holes
- Customized layout available
- USB/PS2 port



Back View



Desktop version for optional
K-TEK-A396KP-FN-DT-DWP




DWP Technology
Washable by any liquids

K-TEK-A343-OTB-DWP



- Sealing to IP65, 71Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- With IP68 optical trackball at 800DPI
- With waterproof gasket
- Rear panel mount with mounting holes
- Customized layout available
- FN+Clean combination key to lock/disable the keyboard for easy cleaning



Black titanium electroplated on SS surface optional
K-TEK-A343-OTB-BT-DWP



Touchpad version available
K-TEK-A343TP-DWP




Mountable desktop version
K-TEK-A343-MTB-MDT-DWP

K-TEK-A361-OTB-DWP



- Sealing to IP65, 71Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- With IP68 optical trackball at 800DPI
- With waterproof gasket
- Top panel mount with threaded bolts
- Customized layout available
- Good for outdoor/kiosk/self service terminals/CNC machine etc applications



K-TEK-A361TP-FN-DWP



Black titanium electroplated on
SS surface optional
K-TEK-A361-OTB-FN-BT-DWP




Desktop version optional
K-TEK-A361-OTB-FN-DT-DWP

K-TEK-B361-OTB-DWP




- Sealing to IP65, 71Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- With IP68 optical trackball at 800DPI
- Metal dome key switch with short stroke 0.45mm
- Top panel mount with threaded bolts
- Customized layout available
- Silver hardended resin ball available



With touchpad optional
K-TEK-B361TP-FN-DWP



With FN keys optional
K-TEK-B361-OTB-FN-DWP



Desktop version optional
K-TEK-B361-OTB-FN-DT-DWP

K-TEK-A392-OTB-FN-DWP



- Sealing to IP65, 90Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- With F1,F2....F12 function keys
- With IP68 optical trackball at 800DPI or silver resin ball optional
- Rear panel mount with mounting holes
- Customized layout available



Without FN keys optional
K-TEK-A392-OTB-DWP



K-TEK-A392TP-FN-DWP

K-TEK-A400-OTB-DWP



- Sealing to IP65, 75Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- With IP68 optical trackball at 800DPI
- 38mm silver resin ball optional
- Top panel mount with threaded bolts
- Customized layout available



Back View



With touchpad optional
K-TEK-A400TP-DWP



Desktop /Mountable deskto version
K-TEK-A400-OTB-DT-DWP
K-TEK-A400-OTB-MDT-DWP

K-TEK-A420-OTB-KP-FN-DWP



- Sealing to IP65, 104Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface, 316L optional
- 4-in-1 keyboard with full functionalities
- With IP68 optical trackball at 800DPI
- Black titanium SS front plate and keys to withstand salt spray optional
- Top panel mount with threaded bolts
- Customized layout available



K-TEK-A420-OTB-KP-FN-DWP



With touchpad version available
K-TEK-A420TP-KP-FN-DWP



Short stroke with flat
keys optional
K-TEK-B420-OTB-KP-FN-DWP




Short stroke with flat keys
and touchpad
K-TEK-B420TP-KP-FN-DWP


K-TEK-A420TP-KP-FN-DWP



- Sealing to IP67, 103 Keys
- Integrated with sealed and tough touchpad
- With trackball optional
- With independent FN keys and numeric keys
- Top panel mount with threaded bolts, desk top version optional
- Full functionality with easy operation
- Industrial PCB with carbon-on-gold key switch and long stroke 1.5mm, metal dome key switch version optional



Back view



With trackball version available
K-TEK-A420-OTB-KP-FN-DWP




Short stroke with flat
keys optional
K-TEK-B420TP-KP-FN-DWP



Desktop version optional
K-TEK-A420TP-KP-FN-DT-DWP

K-TEK-A380-50-MTB-FN




- Sealing to IP65, 80Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- Top panel mount with threaded bolts
- Customized layout available
- With IP65 50mm black resin mechanical trackball at 400DPI and wide temperature



Back View



Close-up pic for trackball



Desktop /Mountable desktop version
K-TEK-A380-50-MTB-FN-DT
K-TEK-A380-50-MTB-FN-MDT

K-TEK-A361-DHP-FN-BL-DWP



- Sealing to IP65, 71 Keys
- Robust design, vandal proof structure
- With trackball or touchpad optional
- Top panel mounted solution
- Designed for Coal and Mine field with harsh environment
- Blue or red backlight optional
- With hula pointer mouse for fast & accurate cursor position



Back View



K-TEK-A361-DHP-FN-DT-DWP



K-TEK-A361-RTP-FN-DWP

K-TEK-A360KP-FN-BL-DWP



- Sealing to IP65
- Industrial white backlight included
- Top panel mount version with watertight gasket
- With FN keys and numeric keys
- Ease of customized languages
- With integrated numeric keypad on right side
- Desktop version optional



Back View



Without backlight optional
K-TEK-A360KP-FN-DWP




Desktop version optional
K-TEK-A360KP-FN-DT-DWP

K-TEK-A272-BL



- Sealing to IP65, 66Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- Rear panel mount with mounting holes
- Customized layout available
- Red or blue backlit color optional



Back View



Without backlit optional
K-TEK-A272-DWP



Black titanium electroplated optional
K-TEK-A272-BT-DWP

K-TEK-A308-FN-BL



- Sealing to IP65, 87Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- F1,F2.....F12 keys on upper line
- Standard red backlit included
- Top panel mount with threaded bolts
- Customized layout available



Back View



Without backlit for optional
K-TEK-A308-FN



Desktop Version
K-TEK-A308-FN-BL-DT

K-TEK-A343-OTB-BL-BT-DWP



- Sealing to IP65, 71 keys
- Integrated with IP68 38mm optical trackball
- With adjustable blue industrial backlight included
- Rear panel mount solution with mounting holes
- Black titanium electroplated on front SS plate and keys
- Combination 12 FN keys on top line
- 38mm optical ball/black resin/silver resin ball optional



K-TEK-A343TP-BL-DWP



K-TEK-A343-OTB-BT-DWP



K-TEK-A343-OTB-DWP

K-TEK-A361TP-BL-DWP



- Sealing to IP65, 70 Keys
- Robust design, vandal proof structure
- SUS304 Brushed stainless steel surface
- Integrated with sealed and tough touchpad
- Top panel mount with threaded bolts
- With waterproof gasket
- White/blue/red backlight optional



K-TEK-B255-25-OTB-BL-DWP



- Sealing to IP65, 71 Keys
- Compact format with small keys, flat surface
- With 25mm optical trackball at 800DPI
- Red/blue/white/green backlit optional
- Metal dome key switch with short stroke 0.45mm
- Rear panel mount with mounting holes
- Customized layout available



With FN keys integrated
K-TEK-B255-OTB-FN-DWP



Black titanium electroplated optional
K-TEK-B255-OTB-BT-DWP



Without backlight version
K-TEK-B255-OTB-DWP

K-TEK-B255TP-BL-UT-DWP




- Sealing to IP65, 68Keys
- Ultra thin, thickness 7.4mm only
- Integrated with sealed and tough touchpad
- Red/blue/white/green backlit optional
- Short stroke of 0.45mm for accurate data input
- Rear panel mount with mounting holes
- With waterproof gasket and flush surface
- Customized layout available



Back View



Non-backlit optional
K-TEK-B255TP-UT-DWP




Black titanium electroplated optional
K-TEK-B255TP-FN-UT-BT-DWP

K-TEK-B312-OTB-KP-FN-BL-DWP



- Sealing to IP65, 104 Keys
- With numeric keypad and FN keys
- With IP68 25mm optical trackball at 800DPI
- Red/blue/white/green backlit optional
- Short stroke of 0.45mm for accurate data input
- Rear panel mount with mounting holes
- With 3 LED to indicate on/off
- Customized layout available



Back View



Non-backlit for optional
K-TEK-B312-OTB-KP-FN-DWP




K-TEK-B312TP-KP-FN-BL-UT-DWP


K-TEK-B361TP-FN-BL-DWP




- Sealing to IP65, 83Keys
- With FN keys (F1,F2....F12)
- Red/blue/white/green backlit optional
- Integrated with sealed and tough touchpad
- Short stroke for stable and accurate data input
- Top panel mount with threaded studs
- With waterproof gasket
- Customized layout and backlight color available



Trackball version optional
K-TEK-B361-OTB-FN-BL-DWP



Non-backlit optional
K-TEK-B361TP-FN-DWP



Non-backlit desktop version optional
K-TEK-B361-TP-FN-DT-DWP

K-TEK-A343-CTB-BL



- Sealing to IP65, 69Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- With IP65 chameleon backlight trackball at 400DPI
- Rear panel mount with mounting holes
- Customized layout and backlight color available



Black titanium electroplated optional
K-TEK-A343-CTB-BL-BT




Touchpad version for optional
K-TEK-A343TP-BL

K-TEK-A392-CTB-KP-BL



- Sealing to IP65, 84Keys
- Robust design, vandal proof structure
- An excellent tactile feeling for fast data input
- SUS304 Brushed stainless steel surface
- With numeric keypad
- With IP65 chameleon trackball at 400DPI
- Rear panel mount with mounting holes
- Customized layout available



Back View



IP68 optical trackball at 800DPI optional
K-TEK-A392-OTB-KP-BL



Green color backlight optional

K-TEK-A361TP-FN-BT-DWP



- Sealing to IP65, 85 keys
- Black titanium electroplated on the front panel and keys
- Integrated with sealed and tough touchpad mouse
- Customized languages available
- FN+Clean keys to lock the whole keyboard for cleaning
- Top panel mount with threaded studs
- Braille dots optional



Back View



K-TEK-A361-OTB-FN-BT-DWP



K-TEK-A361TP-FN-DWP

K-TEK-B255-25-OTB-BT-UT-DWP



- Sealing to IP65, 71Keys
- Short stroke of 0.45mm for accurate data input
- Rear panel mount with mounting holes
- Customized layout available
- IP68 washable 25mm stainless steel optical trackball module with 800 DPI resolutions
- Durable black titanium electroplated on the top stainless steel plate



K-TEK-B255-OTB-DWP



K-TEK-B255TP-FN-UT-BT-DWP




K-TEK-B255-25-OTB-BL-DWP

K-TEK-A340KP-FN-BL-BT-DWP



- Sealing to IP65, 102Keys
- Adjustable industrial white backlight included
- 12 combination FN keys on top line
- Rear panel mount with mounting holes
- Customized layout and white backlight color available
- Durable black titanium electroplated on the top stainless steel plate and keys



K-TEK-A340KP-FN-BL-DWP



K-TEK-A340KP-FN-BT-DWP



K-TEK-A340KP-FN-DWP

DYNAMIC WATERPOOF KEYPAD

Key Technology's keypads are mainly targeted for unsupervised or semi-supervised positions of varied access applications.

Below are our most common options:

- 4/5/6/8/12/15/16/19/20/22/24/28/40 keys

Different keys to suit different needs. Key Technology can also adjust the keys in accordance with customer's requirements.

- With or without backlight

When working in dim working environment, luminous keypad is always a primary need.

Key Technology manufactures high-contrast blue/white/red/yellow/green color backlit keypads.

Non-backlit keypad for optional too.

- Dynamic waterproof

This is Key Technology's patented technology which as known as DWP version. DWP is the core and mature technology which earned a good reputation from our oversea customers. They are designed to meet: IP65 for panel mount keypads, IP68 for desk top keypads.

- USB/PS2/RS232/RS485/TTL/Dot matrix

Any other customization needed, consult with your regional sales manager.

- Panel mount or desk top version/mountable desk top version

Any other customization needed, consult with your regional sales manager.

- Integrated with optional LCD/VFD display

- CE/FCC/RoHS/REACH/ESD/Explosion proof certified



K-TEK-B140KP-BL-NV-151B-DT-DWP



- Sealing to IP68, 22 keys
- White backlight included
- Movable desktop solution
- USB interface
- Military level, meet MIL-STD-461G with EMC and MIL-STD-810F



Back View




White backlight

K-TEK-B75KP-AC-DWP



- Sealing to IP65, 16 keys
- Tiny compact design, with water tight gasket
- Brushed high quality stainless steel surface
- Top panel mount with threaded bolt



Back View



K-TEK-B75KP-DWP



PS2/RS232/USB for optional

K-TEK-B64KP-12-DWP



- Sealing to IP65, 12 keys
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- Top panel mount with mounting holes



Back View



K-TEK-A101KP-20-DWP

K-TEK-A120KP-BL-BT-DWP



- Top panel mount with thread bolts
- With industrial backlight included
- Tiny compact design
- High quality black titanium electroplated on top stainless steel plate and keys



K-TEK-B120KP-BT-DWP



K-TEK-A120KP-BL-DWP




K-TEK-A120KP-DWP

K-TEK-B60KP-16-AC-BL-DWP



- Sealing to IP65, 16 keys.
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back view of the item



K-TEK-B60KP-16-AC-DWP



K-TEK-B60KP-16-BL-DWP

K-TEK-A191-DT-DWP



- Compact format design, 40 keys
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- 1.5mm long stroke keys for fast input
- With water tight gasket
- Stand alone movable desktop version



Back view of the item



K-TEK-A191-BT-DWP




K-TEK-A191-UT-DWP

K-TEK-B110FK-4-AC-DWP



- Sealing to IP65, 4 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes
- Matrix output, with external USB/PS2/RS232 control board optional



Back View



Backlit version
K-TEK-B110FK-4-AC-BL-DWP




PS2/RS232/USB for optional

K-TEK-B135FK-5-AC-DWP



- Sealing to IP65, 5 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Matrix output, with external USB/PS2/RS232 control board optional
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back View



Backlit version
K-TEK-B135FK-5-AC-BL-DWP



Black color optional

K-TEK-B160FK-6-AC-DWP



- Sealing to IP65, 6 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Matrix output, with external USB/PS2/RS232 control board optional
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back View



Backlit version
K-TEK-B160FK-6-AC-BL-DWP



PS2/RS232/USB for optional

K-TEK-B48KP-AC-BL-DWP



- Sealing to IP65, 12 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back View



PS2/RS232/USB for optional

K-TEK-B60-16-KP-BL-DWP



- Sealing to IP65, 16 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back view of the item



Non-backlight version
K-TEK-B60-16-KP-AC-DWP




Black titanium electroplated optional
K-TEK-B60-16-KP-AC-BT-DWP

K-TEK-A68KP-AC-BL-DWP



- Sealing to IP65, 12 keys
- Robust design, vandal proof structure
- Brushed high quality stainless steel 304 material
- Industrial red/blue/white/yellow/green backlight optional
- Rear panel mount with mounting holes
- Customized layout/symbols




K-TEK-B86KP-12-AC-BL-DWP



- Sealing to IP65, 12 keys
- Comfortable button size 14x21mm
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



K-TEK-B86KP-AC-DWP



Non-backlight version
K-TEK-B86KP-12-AC-DWP



PS2/RS232/USB for optional

K-TEK-B88KP-AC-BL-DWP



- Sealing to IP65, 12 keys
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Industrial red/blue backlight
- With water tight gasket
- Top panel mount with threaded bolts
- Short stroke of 0.45mm flat keys



Long stroke and non backlight keypad
K-TEK-A88KP-AC-DWP



Desktop version optional
K-TEK-A88KP-BL-DT-DWP


K-TEK-B90KP-16-AC-BL-DWP



- Sealing to IP65, 16 keys
- Tiny compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes



Back View



Non-backlight version
K-TEK-B90KP-16-AC-DWP





PS2/RS232/USB for optional

K-TEK-A100-90KP-AC-RP-DWP



- Sealing to IP65, 16 keys
- Compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- Rear panel mount with mounting holes
- Customized layout/symbols



K-TEK-B100-91.5KP-RP-IT-DWP



- Sealing to IP65, 16 keys
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- Rear panel mount with mounting holes
- Customized layouts/symbols
- Widely used for bank kiosk, self service terminal



Back View



PS2/RS232/USB/dot matrix

K-TEK-B100-90KP-AC-BL-RP-DWP



- Sealing to IP65, 16 keys
- Compact design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red/blue/white/green backlight optional
- Rear panel mount with mounting holes
- Matrix/USB/PS2/RS232/RS485/TTL output optional



K-TEK-A118KP-DWP



- Sealing to IP65, 19 keys.
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- Lock key to freeze keypad while cleaning
- Top panel mount with threaded studs



Back View



Inclined desktop available
K-TEK-A118KP-DT-DWP



Flat desktop available
K-TEK-A118KP-FDT-DWP

K-TEK-M120KP-BL-DWP



- Compact format design
- Robust design, vandal proof structure
- With water tight gasket
- Top panel mount with threaded studs
- With red/blue backlight optional
- Rugged polymer keys, brushed stainless steel plates



Back View



K-TEK-M120KP-BL-BT-DWP



K-TEK-M88KP-BL-DWP

K-TEK-B120KP-AC-BL-DWP



- Sealing to IP65, 16 keys
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red/blue/white/green backlight optional
- Top panel mount with thread bolts
- Matrix/USB/PS2/RS232/RS485/TTL output optional



K-TEK-A120KP-BL-DT-DWP




Long stroke raised keys optional
K-TEK-A120KP-AC-BL-DWP


K-TEK-B124KP-UT-IT-DWP



- Sealing to IP65, 16 keys
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface or black titanium color
- With water tight gasket
- Top panel mount with thread bolts
- With braille dots available



Side picture with threaded bolts



Braille dot with customized layout

K-TEK-B120KP-15-AC-BL-FP-DWP



- Sealing to IP65, 15 keys
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red/blue/white/green backlight optional
- Top panel mount with thread bolts



Back View



K-TEK-B123KP-20-AC-BL-FP-DWP

K-TEK-B120KP-24-AC-BL-DWP



- Sealing to IP65, 24keys
- Compact format design
- Flat keys with short stroke 0.45mm
- Robust design, vandal proof structure
- With water tight gasket
- Brushed high quality stainless steel surface
- With red/blue/white/green backlight optional
- Rear panel mount with mounting holes



Back View



Red backlight optional
K-TEK-B120KP-24-AC-BL-DWP



PS2/RS232/USB/Dox matrix
interfaces available

K-TEK-B116KP-LCD-DT-DWP



- Sealing to IP68, 16 keys
- Integrated LCD display, white/yellow/green/blue/red letters optional
- Flat keys with short stroke 0.45mm
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Any layouts can be customized
- VFD optional
- Mountable desktop solution with mounting holes



Back View



Yellow or white color backlit LCD



Mounting holes


K-TEK-B134KP-VFD-BL-DWP



- Sealing to IP65, 16 keys
- Compact design
- VFD display integrated, LCD optional
- Flat keys with short stroke 0.45mm
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Any layouts can be customized
- Top panel mount with threaded bolts
- Keypad with green/blue/red/white backlight optional



Back View



Close-up pic



K-TEK-A134KP-LCD-DWP

K-TEK-B138KP-28-BL-DWP



- Sealing to IP65, 28 keys
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- With red/blue/white/green backlight optional
- Rear panel mount with mounting holes



Back View



Non-Backlight version
K-TEK-B138KP-28-DWP



PS2/RS232/USB/Dox matrix
interfaces available

K-TEK-B139KP-20-DWP



- Sealing to IP65, 20 keys.
- Compact format design
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- With water tight gasket
- Top panel mount with threaded studs



Back View



With 24keys optional
K-TEK-B139KP-24-DWP



Desktop version optional
K-TEK-B139KP-20-DT-DWP

K-TEK-B160KP



- Sealing to IP65, 16 keys
- Compact design
- Flat keys with short stroke 0.45mm
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- Any layouts can be customized
- Rear panel mount with mounting holes



Dox matrix interfaces optional



Back view of the item
K-TEK-B160KP

K-TEK-B80KP-40-IT-DWP



- Sealing to IP65, 40 keys
- Compact design
- Robust design, vandal proof structure
- Gold-on-gold Key switch with short stroke 0.45mm
- Brushed high quality stainless steel surface
- Horizontal or vertical version optional
- Rear panel mount with mounting holes
- Widely used for parking systems
- USB/PS2/Dot matrix/RS232/RS485/TTL optional



Top panel mounted version optional



Vertical configuration



PS2/RS232/USB/Dox matrix interfaces available

K-TEK-A191-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed high quality stainless steel surface
- 1.5mm long stroke keys for fast input
- Rear panel mount with mounting holes
- With water tight gasket
- Ease of customizing with multiple languages
- PS/2 or USB interface
- Widely used for parking systems



Black color K-TEK-A191-BT-DWP



Short stroke with flat keys
K-TEK-B191-DWP



Flat keys with backlit for optional
K-TEK-B191-BL-AC-DWP

WATERPROOF POINTING DEVICES

This serie includes the lastest design of Key Technology's various pointing devices. Choosing a right pointer can easily narrow down our extensive products and pin down the perfect one for your application.

Below are our most common options which certified with CE/FCC/RoHS/REACH/ESD/Explosion proof:

- Trackball

With ultra-precise pointing technology is crucial, stainless steel trackball that is vandal-proof for public kiosks/arcade

Key Technology manufactures four types of trackball:

MTB - IP65 mechanical trackball at 400dpi

OTB - IP68 optical trackball at 800dpi

LTB - IP68 laser trackball at 1200dpi


CTB - IP65 chameleon trackball with backlit at 400dpi

- Touchpad

Fully sealed & tough touchpad, this is a popular choice by Key Technology's customer.

Key Technology also provide Resistor type touchpad for optional which can be worked with gloves.

Easily be wiped clean, this is also an excellent choice for beverage factories and other industrial areas.



- Joystick

It provides users with a 3-axis joystick function, and can control the output of X (left and right) and Y axis (front and rear) by moving the handle in any direction by $(25^\circ \pm 2^\circ)$; and surely control the Z axis output by rotating $(40^\circ \pm 3^\circ)$. Mouse function optional. With one button on the top of the joystick (2 buttons optional), which can be set as left mouse button or right button before ex-factory.

K-TEK-B82-38-CTB-BL-BT-DWP



- Chameleon trackball with colors optional
- With 3 sealed stainless steel mouse buttons
- High quality black titanium electroplated on stainless steel top plate
- 38mm diameter
- Top panel mount solution with through holes/mounting studs available



Back view of the item




Removable backlit trackball at 400DPI
K-TEK-38-CTB-R

K-TEK-B100-50-MTB-ML-AVB



- MIL-STD-810F, anti-vibration, strong anti-interference/radiation
- Wide temperature of -40°C to $+75^{\circ}\text{C}$
- Top panel mounting solutions
- With sealed 3 metal mouse buttons
- 50.8mm black resin mechanical trackball at dynamic 200~2000DPI
- Fully compatible dimension and installation as NSI TBS50F2



Back view of the item



K-TEK-B110-50-MTB-AVB-ML-BT



K-TEK-50-MTB-AVB-ML

K-TEK-B100-50-LTB



- Sealing to IP65, industrial level
- Washable and removable 50.0mm laser trackball
- White hardened resin ball module, black color optional
- Top panel mounting solution
- With sealed stainless steel 3 mouse buttons
- Backlight trackball module optional



Back view of the item



K-TEK-B100-50-MTB



K-TEK-50-LTB

K-TEK-B67-25-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- With 2 sealed stainless steel mouse buttons for right/left clicking
- IP68 washable 25.0mm stainless steel optical trackball module at +800DPI



Back view of the item



K-TEK-B67-25-OTB-BT-DWP



K-TEK-B65-25-OTB-DWP

K-TEK-B68-OMS-DT-DWP



- Sealing to IP68
- Optical mouse for fast moving
- With 2 mouse buttons for right & left clicking
- Complete stainless steel material
- Designed for public outdoor application
- Vandal proof, rugged design



K-TEK-B68-OMS-DT-DWP



Light touch

K-TEK-B100-JS



- Hall joystick with dual function(joystick/mouse protocol) optional
- With one or two buttons on the top
- 2 optional stainless steel mouse buttons designed for right & left clicking
- Top panel mounted solution with threaded bolts
- Designed for harsh industrial/marine applications, navigation controls etc.
- USB port



With 1 button K-TEK-HC1U-360-V02



K-TEK-A443-38-OTB-JS-FN-DT-DWP



With 2 buttons K-TEK-HC1U-360

K-TEK-B65-25-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed SUS304 stainless steel or 316L to withstand salt mist
- Stainless steel protecting ring along with the trackball
- IP68 washable 25.0mm stainless steel optical trackball module at 800DPI
- With water tight gasket
- Rear panel mount with mounting holes



Back View



K-TEK-B95-25-OTB-UT-DWP



Black titanium electroplated
K-TEK-B65-25-OTB-BT-DWP

K-TEK-B78-38-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed black titanium electroplated on the top surface optional
- Stainless steel protecting ring along with the trackball
- Fully sealed waterproof stainless steel push buttons
- IP68 washable 38.0mm stainless steel optical trackball module at 800DPI
- Hardened silver resin ball optional
- Top panel mount with thread bolts



Back View



Black titanium electroplated on surface optional
K-TEK-B78-38-OTB-BT-DWP



Hardened silver resin ball optional
K-TEK-B78-38-OTB-DWP

K-TEK-A83-38-MTB



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- IP65 mechanical 38.0mm stainless steel trackball module at 400DPI
- Hardened black color resin ball for optional
- Rear panel mount with mounting holes
- USB/PS2 interface
- Good for indoor applications



IP68 Optical Trackball at 800DPI
Hardened resin trackball optional
K-TEK-A83-38-OTB



Black titanium housing optional
K-TEK-A83-38-MTB-BT



K-TEK-B83-38-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed SUS304 or 316L stainless steel
- Stainless steel protecting ring along with the trackball
- Fully sealed waterproof stainless steel push buttons
- IP68 washable 38.0mm stainless steel optical trackball module at 800DPI
- Hardened silver resin ball for optional
- Ideal for outdoor applications with harsh environments or weather.
- Rear panel mount with mounting holes around



Black titanium electroplated
K-TEK-B83-38-OTB-BT-DWP



Hardened resin trackball optional
K-TEK-B83-38-OTB-DWP



K-TEK-B83TP-DWP

K-TEK-B88-25-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- Stainless steel protecting ring along with the trackball
- IP68 washable 25.0mm stainless steel trackball module at 800DPI
- Hardened silver resin ball for optional
- 3 mouse buttons for right/left clicking, and scrolling up and down
- Top panel mount with threaded bolts



Back View



Black titanium electroplated
K-TEK-B88-25-OTB-BT-DWP

K-TEK-B107-38-OTB-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- Stainless steel protecting ring along with the trackball
- Fully sealed waterproof stainless steel push buttons
- IP68 rated 38.0mm stainless steel trackball module at 800DPI
- Hardened silver resin ball for optional
- Top panel mount with thread bolts, desktop version optional
- Good for outdoor applications with harsh environments with much water/dust/oil



K-TEK-A80TP-UT-IL-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- Integrated with rugged and tough touchpad
- With 2 raised stainless steel mouse buttons for left and right clicking
- Rear panel mounting with mounting holes along the edge



Titanium electroplated
K-TEK-A80TP-BT-UT-IL-DWP



Top panel mounted K-TEK-A95TP-DWP

K-TEK-B140TP-DWP



- Robust design, sealing to IP65
- Integrated with rugged and tough touchpad
- With 2 sealed stainless steel mouse buttons
- Top panel mounting solution



Back view of the item



K-TEK-B80TP-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- 2 flat mouse buttons for right and left clicking
- With waterproof gasket
- Rear panel mount with mounting holes



Back View



K-TEK-B80-25-OTB-UT-DWP



Top panel mounting
K-TEK-B95TP-DWP

K-TEK-B83TP-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- Integrated with rugged and tough touchpad
- Fully sealed waterproof stainless steel short stroke keys
- Rear panel mount with mounting holes
- USB/PS2 port



Back View



K-TEKB85TP-DT-DWP




Waterproof & rugged push buttons

K-TEK-B107TP-DWP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- 2 mouse buttons for right and left clicking
- Fully sealed waterproof stainless steel push buttons
- With waterproof gasket
- Top panel mount with threaded bolts



Black titanium electroplated
K-TEK-B107TP-BT-DWP



Desk Top Model
K-TEK-B107TP-DT-DWP



Backlight version
K-TEK-B107TP-BL-DWP


K-TEK-A160TP-KP



- Sealing to IP65
- Robust design, vandal proof structure
- Brushed stainless steel on top surface
- Integrated with rugged and tough touchpad
- Integrated with function keypad
- Long stroke Key switch (1.5mm)
- Top panel mount with threaded bolts



Back view of the item
K-TEK-A160TP-KP




Flat keys with short stroke
K-TEK-B160TP-KP



Desk Top Model
K-TEK-A160TP-KP-DT

K-TEK-A160-38-MTB-KP



- Sealing to IP65
- Robust design, vandal proof structure
- Carbon-on-gold key with long stroke 1.5mm
- 38.0mm stainless steel Mechanical trackball at 400DPI
- With washable IP68 optical trackball at 800DPI optional
- Top panel mount with threaded bolts, through holes or sinking holes optional
- Any customized layouts are available
- Silver resin ball/black resin ball/stainless steel ball optional



Short travel flat keys optional
K-TEK-B160-38-MTB-KP



With IP68 optical trackball optional
K-TEK-A160-38-OTB-KP



Desktop version available
K-TEK-A160-38-MTB-KP-DT

K-TEK-B190TP-KP-BL-IL-DWP



- Sealing to IP65, 31 keys
- Integrated with rugged and tough touchpad
- Robust design, vandal proof structure
- Metal dome key switch technology with 0.45mm key stroke
- With red, blue, white, green backlight optional
- Rear panel mount with mounting holes
- 2 mouse buttons for right/left clicking
- SUS304 or 316L material optional



Back View



Non-backlit version
K-TEK-B190TP-KP-IL-DWP



KEY TECHNOLOGY (CHINA) LIMITED

Head Office ADD:

B703, Building 1, Tianan Cyber Park, Huang Ge North Rd,
Longcheng Subdistrict, Long Gang District, ShenZhen,
GuangDong, P.R.China

Official Webpages:

www.rugged-key.com

www.key-tek.cn

www.ruggedized-keyboard.com

www.mkb-mpc.com

<https://key-tek.en.alibaba.com>

Mr. Henry Chen

Email: sales01@key-tek.cn

Tel: 86-755-89239859

Skype: [keytechnologychinalimited](https://www.skype.com/en/contacts/technology/keytechnologychinalimited)

Ms. Lois Chan

Email: sales05@key-tek.cn

Tel: 86-755-84530763 ext 8030

Skype: [keytechnologychinalimited05/sales05@key-tek.cn](https://www.skype.com/en/contacts/technology/keytechnologychinalimited05/sales05@key-tek.cn)