




深圳市键特电子有限公司
KEY TECHNOLOGY (CHINA) LIMITED



Product Catalog



About Us


Key Technology China Limited was established in 2006, which is an ISO9001-2015 company specializing in providing industrial/medical/marine/military keyboard solution. Building a company name without cheap points and short-term short-cuts demands that we respect our employees, our customers and our partners. By keeping up an honest dialogue, both internally and externally, we get our organization to work together. This foundation is necessary for the forming of lasting partnerships, lasting commitment and lasting mutual gain. We possess the professional experience and empirical knowledge to design, develop, manufacture, market and sell most complete line of vandal proof IP65/IP67/IP68 keyboards, keypads, pointing devices, ATM keypads; Medical keyboards, Marine and Vehicle keyboards etc.

We are the one-stop-shop for your requirements of products services in the areas of industrial input devices to extent to immense international market. Satisfied customers include Finance, Aerospace, Chemicals/Petro, Food & Beverage, Healthcare, Telecom/Media, High Technology, Transportation-Automotive, Manufacturing, Utilities & Resources, Universities and Academia, Museums/Public Displays and Miscellaneous etc. industries.


Active, positive, and works as a team is a special attribute of the people in Key Technology China Limited. The purpose of the operation of the company is to create value, which is the creation of customer value, creation of employee value, and the creation of shareholder value. The principle of business is based on Righteousness, Integrity, Diligence and Thrift, which stands as our guideline of conduct in the future. By doing so, Key Technology China Limited is moving towards a global technology firm with an optimistic and long future.




About Us



Factory Reception



Office Area



Showroom




Reception Room




Head Office Reception



Office Area




Recreation Facility



Restaurant

About Us



R&D



IQC



Workshop



Assembly



Welding



Testing



High and Low Temperature Test



Packing


Medical Antimicrobial Waterproof Rubber/Membrane Keyboards/Mice

Key Technology's Silicone Rubber/Membrane Keyboards/Mice are designed for hospital systems, medical offices, dental and laboratories etc. These kinds of mice/keyboards can prevent spreading illness to medical staff and patients because of its antimicrobial material and waterproof design.


Features as below:

- Easy to clean
- Used with gloves for medical staff
- Hygienic white color(black optional) to let users know when should be disinfected
- Durable coating & anti-microbial keyboard surface withstands to most chemicals, disinfectants and liquids
- Operation temperature from $-20^{\circ}\text{C} \sim +65^{\circ}\text{C}$
- Backlit optional for dim working environment
- FN + CLEAN keys to lock the keyboard during cleaning process
- Totally sealed with one-piece rubber to meet IP65/IP68 waterproof
- Can be tailored with or without touchpad/trackball mouse
- Panel mount or desktop version for your choice
- Customized layout available
- Certified with IEC60601-1-2, CE/RoHS/REACH




SHENZHEN HUATONGWEI INTERNATIONAL INSPECTION Co., Ltd.

Test Verification of Conformity

Certificate No.:CHTEM19050083 Certificate Verification: 

Issued Date: May 22, 2019

The equipment, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

**EN60601-1-2:2015
IEC60601-1-2:2014**

The test results are traceable to the international or national standards.

Applicant: **KEY TECHNOLOGY (CHINA) LIMITED**
B702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guang Dong, P.R.China

Manufacturer: **KEY TECHNOLOGY (CHINA) LIMITED**
B702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guang Dong, P.R.China

EUT Name: **Medical Keyboard with Mouse**


Model number: **K-TEK-M399TP-KP-FN-BL-DT, K-TEK-M64-OMS-DT**





Listed Model(s): **See attachment page**


Laboratory: **Shenzhen Huatongwei International Inspection Co., Ltd.**
Hongfa Hi-tech Industrial Park, Genyu Road, Tianliiao, Gongming, Shenzhen, Guangdong, China
Tel: 86-755-26748078 Fax: 86-755-26748089
Http: www.szhtw.com.cn E-mail: cs@szhtw.com.cn

Note:
The certification is only valid for the equipment and configuration described, in conjunction with the test data detailed above.


For and on behalf of
Shenzhen Huatongwei International Inspection Co., Ltd.

Authorized by: 

    中国合格评定国家认可委员会
CNAS L1225


SHENZHEN HUATONGWEI INTERNATIONAL INSPECTION Co., Ltd.





Test Verification of Conformity (Attachment Page)

Certificate No.:CHTEM19050083 Certificate Verification: 

Issued Date: May 22, 2019

Listed Model(s):

K-TEK-M67-OMS-DT, K-TEK-M380KP-FN-BL-DT, K-TEK-M347TP-KP-FN-BL-IL-DT, K-TEK-M288HP-FN-BL-DT, K-TEK-M378KP-FN-DT-WF, K-TEK-M383KP-FN-BL-DT, K-TEK-M440KP-FN-BL-DT, K-TEK-M343TP-FN-BL-DT, K-TEK-M369TP-KP-FN-BL-DT, K-TEK-M382TP-FN-BL-DT, K-TEK-M408TP-KP-FN-BL-DT, K-TEK-M415TP-FN-DT-WF, K-TEK-M65-OMS-DT-WF, K-TEK-M275TP-FN-BL-IL-OEM, K-TEK-M222-FN-UT-ML-OEM, K-TEK-M276TP-FN-BL-ML-EMC-OEM, K-TEK-M379TP-KP-FN-BL-IL-OEM, K-TEK-M399TP-KP-FN, K-TEK-M399KP-FN, K-TEK-M399KP-FN-BL, K-TEK-M379-OTB-KP-FN-BL-OEM, K-TEK-M275TP-FN-BL-IL-FDT, K-TEK-M278HP-FN-BL-ML-EMC-FDT, K-TEK-M375KP-FN-IL-BL-DT, K-TEK-M390TP-KP-FN-BL-IL-DT, K-TEK-M390KP-FN-BL-IL-DT, K-TEK-M399KP-FN-DT, K-TEK-M399KP-FN-BL-DT, K-TEK-M399TP-KP-FN-DT, K-TEK-M396-OTB-KP-FN-BL-DT, K-TEK-M76HP-2, K-TEK-M76HP-3, K-TEK-38-TB, K-TEK-50-TB, K-TEK-D399TP-KP-FN-DT, K-TEK-D396TP-KP-FN-DT-SW, K-TEK-D396-OTB-KP-FN-DT-SW, K-TEK-D410-OTB-KP-FN-SW, K-TEK-D410TP-KP-FN-SW.

    中国合格评定国家认可委员会
CNAS L1225



- Sealing to IP68
- Optical mouse for fast moving
- Antimicrobial surface withstand to most chemicals/liquid
- 5-buttons designed for right & left clicking and scrolling up and down
- Black or white color optional

IP Grade	IP68
Interfaces	USB/PS2
Color	White or black
Mouse buttons	5
Dimension	64.0mm x 126.0mm x 34.0mm (L x W x H)

Close-up



Back view of the item



Combo keyboard K-TEK-M399KP-FN-DT




- Sealing to IP68
- Optical mouse for fast moving
- Antimicrobial surface withstand to most chemicals/liquid
- 5-buttons designed for right & left clicking and scrolling up and down
- Black or white color optional

IP Grade	IP68
Interfaces	USB/PS2
Color	White or black
Mouse buttons	5
Dimension	103.5mm x 59.0mm x 36.5mm (L x W x H)

Alternatives



Black color



Combo keyboard K-TEK-M380KP-FN-DT




Wireless mouse K-TEK-M65-OMS-DT-WF



- Sealing to IP65
- Optical mouse for fast moving
- Antimicrobial surface withstand to most chemicals/liquid
- 5-buttons designed for right & left clicking and scrolling up and down
- Black or white color optional
- 2.4GHz wireless version

IP Grade	IP65
Interfaces	2.4GHz Wireless
Color	White or black
Mouse buttons	5
Dimension	114.0mm x 65.0mm x 38.7mm (L x W x H)

Alternatives



Back view



Combo keyboard K-TEK-M378KP-FN-DT-WF



Black/White color optional



- Sealing to IP65
- Electronics controller shielded by aluminum backplate
- Integrated with rugged and tough touchpad
- With 2 mouse buttons
- Rear panel mounting with mounting holes
- Wide temperature of -40 to +65° C optional

IP Grade	IP65
Interfaces	USB/PS2
Color	black
Mouse buttons	2
Dimension	73.0 x 73.0 mm (front panel)


Alternatives



Back view of the item



K-TEK-M270-FN-MS-BL+M73TP



Rubber keyboard with touchpad
 K-TEK-M400TP-FN-BL-BT-AL-FDT



- Sealing to IP65
- Durable and rugged silicone cover
- 49 buttons, layout can be customized
- Integrated with touchpad and
- Force sensing resistor with 4 arrow buttons
- White or black color optional
- Wide temperature compatible
- Stainless steel backplate with mounting holes

IP Grade	IP65
Interfaces	USB/PS2
Color	white or black
Dimension	110.0mm x 135.0mm(Front panel)


Close-up



Back View



Close-up pic




Close-up pic



- IP65 ruggedized silicone rubber keyboard
- Industrial membrane key switch technology
- FN+Clean keys to freeze keyboard when cleaning
- Withstand alcohol, disinfectants and etc chemicals
- Rear panel mount with aluminum back plate with mounting holes, desktop version optional

IP Grade	IP65
Interfaces	PS2/USB
Key travel	1.20mm ± 0.10mm
Color	White
Dimension	270mm x 113mm (Front panel)

Close-up



Back view



- IP65 ruggedized silicone rubber keyboard
- Industrial membrane key switch technology
- FN+Clean keys to freeze keyboard when cleaning
- Adjustable 4 level white backlit brightness
- MIL-STD-461G (EMC, EMI, EMS, ESD) and MIL-STD-810F (wide temperature, shock, salt mist, vibration, fungus, humidity)
- Rear panel mount with aluminum back plate with mounting holes, desktop version optional

IP Grade	IP65
Interfaces	PS2/USB
Key travel	1.20mm ± 0.10mm
Backlit color	Red/White
Dimension	270mm x 113mm (Front panel)

Alternatives






- Sealing to IP65, 102 keys
- FN keys on top line for easy operation
- Rear panel mount solution
- Membrane key switch technology with super light tactile
- Adjustable industrial white/red backlight included
- Integrated with numeric keypad
- MIL-STD-461G (EMC, EMI, EMS, ESD) and MIL-STD-810F (wide temperature, shock, salt mist, vibration, fungus, humidity) optional

IP Grade	IP65
Interfaces	PS2/USB
Key travel	1.20mm ± 0.10mm
Backlit color	Red/White
Dimension	315.0mm x 108.0mm (L x W)

Alternatives



Back view



K-TEK-M315KP-FN-MS-BL-NV-151B



K-TEK-M315KP-FN-MS-BL-NV-151B+M73TP



- Industrial membrane key switch technology
- Rear panel mount solution
- Light weight and suitable for medical/portable laptops
- USB interface
- Adjustable industrial white backlight included
- MIL-STD-461G (EMC, EMI, EMS, ESD) and MIL-STD-810F (wide temperature, shock, salt mist, vibration, fungus, humidity) optional

IP Grade	IP65
Interfaces	USB
Key travel	1.20mm ± 0.10mm
Backlit color	White
Dimension	315.0mm x 108.0mm (L x W)

Alternatives



Back view



K-TEK-M315TP-FN-MS-BL-NV-151B



K-TEK-M315KP-FN-MS-BL



- IP68 silicone wireless keyboard
- Antimicrobial hygienic material
- With F1, F2...F12 FN keys
- With mini wireless receiver integrated
- With numeric keys on right side
- Customized layout available
- Desktop version

IP Grade	IP68
Interfaces	2.4GHz Wireless
Color available	Black/White
Backlit color	Without
Dimension	378.0mm x 132.0mm x 10.0mm (L x W x H)

Alternatives



Back View



Combo Wireless Mouse
K-TEK-M65-OMS-DT-WF



Mini wireless receiver




- 92keys IP68 silicone keyboard
- Antimicrobial hygienic material
- With sealed and tough touchpad
- With F1, F2...F12 FN keys
- Customized layout available
- Backlight optional
- Desktop version

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Key type	1.5mm long stroke
Dimension	343.0mm x 228.0mm x 10.0mm (L x W x H)

Alternatives



Back View



Backlight optional
K-TEK-M343TP-FN-DT-BL



- 116 keys IP68 silicone keyboard
- Antimicrobial hygienic material
- With sealed and tough touchpad
- With F1,F2...F12 FN keys, and numeric pad
- Customized layout available
- Black color keyboard optional
- Desktop version

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Key type	1.5mm long stroke
Dimension	347.0mm x 136.0mm x 12.0mm (L x W x H)

Alternatives



K-TEK-M382TP-FN-DT-BL



- IP68 silicone rubber keyboard
- Antimicrobial hygienic material
- With 12 FN keys
- Integrated with sealed touchpad
- Non-backlight version available
- Customized layout available
- Withstand most chemicals, disinfectants and liquids

Buttons	92
Interfaces	USB/PS2
Color available	Black/White
Backlit color	Blue
Dimension	382.0mm x 130.0mm x 11.0mm (L x W x H)

Alternatives



Back View



Non-backlight optional
K-TEK-M382TP-FN-DT



Close-up pic

K-TEK-M375KP-FN-DT



- IP68 sealed and ruggedized rubber keyboard
- Antimicrobial hygienic material
- With 12 FN keys
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Ruggedized design with tough PCB
- Withstand alcohol, disinfectants and etc chemicals

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Key type	1.5mm long stroke
Dimension	379.0mm x 142.8mm x 15.5mm (L x W x H)

Alternatives



Back View



Black color optional



Combo mouse K-TEK-M64-OMS-DT

K-TEK-M399KP-FN-DT




- IP68 sealed and ruggedized rubber keyboard
- Antimicrobial hygienic material
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Movable desktop version, top panel mount optional
- Backlight optional, inclined mountable desktop optional
- Ruggedized design with tough industrial PCB
- Withstand alcohol, disinfectants and etc chemicals

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Key type	1.5mm long stroke
Dimension	405.0mm x 155.0mm x 20.0mm (L x W x H)

Alternatives



Back View



Top panel mounted K-TEK-M399KP-FN

K-TEK-M380KP-FN-DT-BL




- IP68 silicone rubber keyboard
- With 12 FN keys
- Antimicrobial hygienic material
- With adjustable blue backlight
- Customized layout available
- Industrial/medical level
- Desktop version
- Withstand alcohol, disinfectants and etc chemicals

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Backlit color	Blue
Dimension	380.0mm x 130.0mm x 10.0mm (L x W x H)

Alternatives



Back View



Black color optional



Combo mouse K-TEK-M67-OMS-DT

K-TEK-M369TP-KP-FN-DT-BL




- IP68 silicone rubber keyboard
- With 24 FN keys
- Antimicrobial hygienic material
- With adjustable blue/red/white backlight optional
- Customized layout available
- Industrial/medical level
- Desktop version
- Withstand alcohol, disinfectants and etc chemicals

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black/White
Backlit color	Blue/white
Dimension	369.0mm x 136.5mm x 10.5mm (L x W x H)


Alternatives



Back View



Black color optional



Without backlight

K-TEK-M399TP-KP-FN-DT



- IP68 ruggedized silicone rubber keyboard
- With IP65 rated tough touchpad
- Customized layout available
- FN+Clean to freeze keyboard when cleaning
- Antimicrobial material for medical or industrial application
- Red backlight version optional
- Flat desktop version or inclined mountable desktop optional
- Withstand alcohol, disinfectants and etc chemicals

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black / White
Dimension	405.0mm x 155.0mm x 20.0mm (L x W x H)

Alternatives



Back View



Non-mouse optional
K-TEK-M399KP-FN-DT



With Red backlight optional
K-TEK-M399TP-KP-FN-DT-BL





Panel mounting solution optional
K-TEK-M399TP-KP-FN



- IP68 silicone rubber keyboard
- With 10 FN keys
- With adjustable blue backlight
- With Rugged Force sensing resistor
- Customized layout available
- Desktop version

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black
Backlit color	Blue
Dimension	288.0mm x 149.0mm x 10.0mm (L x W x H)

Alternatives






- IP68 silicone rubber keyboard
- With 12 FN keys
- Integrated with sealed touchpad
- Integrated with numeric keys
- Blue backlight version optional
- Customized layout available
- Industrial level
- Desktop version

Keys	109
Interfaces	USB/PS2
Color available	Black/White
Dimension	408.0mm x 138.0mm x 12.0mm (L x W x H)

Alternatives



Back View



Backlight optional
K-TEK-M408TP-KP-FN-DT-BL



- IP68 silicone wireless keyboard
- With 12 FN keys
- With mini wireless receiver integrated
- Integrated with sealed touchpad
- Customized layout available
- Desktop version
- Withstand alcohol, disinfectants and etc chemicals

Keys	110
Interfaces	2.4GHz Wireless
Color available	Black/White
Backlit color	Without
Dimension	415.0mm x 132.0mm x 10.0mm (L x W x H)

Alternatives



Back View



Black color optional



Mini wireless receiver/Battery




- Sealing to IP65, 78Keys
- Ideal for dusty/powder, medical applications
- With F1.F2....F12 FN keys
- Anti-microbial, durable and scratch-proof
- Clean key to lock keyboard when cleaning
- Top panel mount with threaded bolts
- Customized layout available
- Black or white color optional

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	220.30mm x 95.0mm (Front panel)

Close-Up



Back view



Black color for optional



- Front Panel Mounted version
- Industrial PCB with Omron switch technology
- Ideal for dusty/powder application
- Anti-microbial, durable and scratch-proof
- FN+Lock key to lock keyboard when cleaning
- Compact design, extremely comfortable and light tactile feeling

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	256.0mm x 150.0mm (Front panel)

Close-Up



Back view




K-TEK-D272-FN-DT-SS




- Sealing to IP65, 78 Keys
- Ideal for dusty/powder application
- Tiny/compact size
- Anti-microbial, durable and scratch-proof
- Top panel mount with threaded bolts
- Metal dome gold-on-gold key switch
- White or black color optional
- Desktop version optional

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	272.0mm x 125.0mm (top panel)

Close-Up



Back view



White color for optional



Desktop version optional
 K-TEK-D272-FN-DT-SS



- Sealing to IP65, 97Keys
- Ideal for dusty/powder, medical etc. applications
- With Fn keys and numeric pad
- Anti-microbial, durable and scratch-proof
- FN+Clean key to lock keyboard when cleaning
- Top panel mount with threaded bolts
- Customized layout available
- Metal dome gold-on-gold key switch

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	320.0mm x 125.0mm (Front panel)

Close-Up





- Sealing to IP65, 107Keys
- Ideal for dusty/powder, medical applications
- With sealed and tough touchpad
- With 12 FN keys and numeric keypad
- Anti-microbial, durable and scratch-proof FN+Clean key to lock keyboard when cleaning
- Top panel mount with threaded bolts
- Black or white color optional

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	321.0mm x 139.0mm (Front panel)

Alternatives




Back View



IP68 Optical trackball with 800DPI optional
K-TEK-D321-OTB-KP-FN



Desktop version
K-TEK-D321TP-KP-FN-DT






- Sealing to IP65, 81Keys
- Ideal for dusty/powder, medical applications
- Sealed with IP65 touchpad
- FN+Clean key to lock keyboard when cleaning
- Top panel mount with threaded bolts
- Customized layout available
- Super flat surface for easy cleaing and disinfect

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	343.0mm x 125.0mm (Front panel)

Alternatives




Back View



With IP68 optical trackball for optional
 K-TEK-D343-OTB-FN



Desktop version with housing optional
 K-TEK-D343TP-FN-DT




- Sealing to IP65, 84Keys
- Ideal for dusty/powder, medical applications
- With 38mm IP68 optical trackball at 800DPI, stainless steel ball or resin ball available
- Industrial PCB with Omron switch technology
- Top panel mount with threaded bolts
- Customized layout available
- Extremely light and comfortable tactile feeling
- Super flat surface for easy cleaning and disinfect

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	333.0mm x 150.0mm (Front panel)


Alternatives




Back View and black color version



Close-up Pic



With 38mm mechanical Trackball at 400DPI
 K-TEK-D333-MTB-FN




- Sealing to IP65, 106Keys
- Industrial PCB with Omron switch technology
- Ideal for dusty/powder, medical applications
- Anti-microbial, durable and scratch-proof
- FN+Clean key to lock keyboard when cleaning

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	349.0mm x 152.0mm (Front panel)

Alternatives



Back View



K-TEK-D410KP-FN



- Sealing to IP68, 106 Keys
- Ideal for dusty/powder. medical applications
- Anti-microbial, durable and scratch-proof
- FN+Clean keys to lock keyboard when cleaning
- Desktop version
- Touchpad version optional
- With optional silicone gasket around the edges of the whole keyboard to protect the membrane from being torn or peeled off

IP Grade	IP68
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	398.0mm x 149.0mm x 18.7mm (L x W x H)


Alternatives



White color and flat desktop version back view



Mountable desktop solution
 K-TEK-D396KP-FN-DT




With optional silicone gasket around the edges of the whole keyboard




- Sealing to IP68, 108Keys
- Ideal for dusty/powder application
- Sealed with IP65 tough touchpad
- Omron Micro Key switch technology with light and comfortable tactile feeling
- Anti-microbial, durable and scratch-proof
- FN+Clean keys to lock keyboard when cleaning
- Mountable desktop version with VESA and APMS mounting holes
- Customized layout available

IP Grade	IP68
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	399.0mm x 148.8mm x (20.0mm - 37.9mm) (L x W x H)

Alternatives






- Sealing to IP68, 108Keys
- Ideal for dusty/powder, medical applications
- Anti-microbial, durable and scratch-proof
- FN+Clean key to lock keyboard when cleaning
- Desktop version
- Black or white color optional
- With optional silicone gasket around the edges of the whole keyboard to protect the membrane from being torn or peeled off

IP Grade	IP68
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	399.0mm x 150.0mm x 19.3mm (L x W x H)

Alternatives



Mountable desktop version
 K-TEK-D396TP-KP-FN-DT



Top panel mounted version
 K-TEK-D399TP-KP-FN



Back view of K-TEK-D399TP-KP-FN-DT



Without touchpad version
 K-TEK-D399KP-FN-DT




- Sealing to IP65, 108Keys
- Ideal for dusty/powder, medical applications, flush surface
- Sealed with IP65 tough touchpad
- Omron Micro Key switch technology with light and comfortable tactile feeling
- Anti-microbial, durable and scratch-proof
- FN+Clean keys to lock keyboard when cleaning or disinfect
- Top panel mount with threaded bolts
- Customized layout available
- White backlight optional

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	410.0mm x 160.0mm (Front panel)

Alternatives



IP68 Optical trackball at 800DPI optional
 K-TEK-D410-OTB-KP-FN-SW




K-TEK-D410KP-FN



Black color optional



White backlit version optional
 K-TEK-D410TP-KP-FN-SW-BL




- Sealing to IP65, 108 Keys
- Ideal for dusty/powder, medical applications
- Sealed with IP68 washable optical trackball
- Stainless steel ball or resin ball available
- Anti-microbial, durable and scratch-proof
- FN+Lock keys to lock keyboard when cleaning
- Top panel mount with threaded bolts
- Customized layout available
- Industrial PCB with Omron key switch technology

IP Grade	IP65
Interfaces	USB/PS2
Key travel	0.45 ± 0.05mm
Switch life	1 million
Dimension	410.0mm x 160.0mm (Front panel)


Alternatives




Back View



IP65 touchpad version
 K-TEK-D410TP-KP-FN-SW



Black color optional



K-TEK-D410TP-KP-FN

KEY TECHNOLOGY (CHINA) LIMITED

Head office add:

B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guang Dong, P.R.China

www.rugged-key.com

www.key-tek.cn

www.mkb-mpc.com

www.ruggedized-keyboard.com

Ms. Lois Chan

Email: sales05@key-tek.cn

Tel: 86-755-84530763 ext 8030

Skype : [sales05@key-tek.cn](https://www.skype.com/people/sales05@key-tek.cn)



Contact us